

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	63	babka.inv. schwendiman.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 18:26
L2	20	1 and configur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 18:26
S1	10	("5113522" "6295534" "6138123" "6389447" "5109484").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 13:12
S2	10	S1 and (@ad<"19990902" @rlad<"29990902")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 13:40
S3	10	S1 and (@ad<"19990902" @rlad<"19990902")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 10:09
S4	2	"6337563".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 10:09
S5	34	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and configur\$4 adj monitor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 14:08
S6	11	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and configur\$4 adj monitor\$3 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 10:21
S7	1	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and configur\$4 with status with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 10:21

EAST Search History

S8	12	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and configur\$4 same device same status same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:23
S9	21	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and device with list same monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:24
S10	63	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and device with list same (monitor status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:24
S11	15	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and device with list same (monitor status) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:24
S12	5	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and dynamic with device with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:26
S13	0	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and dynamic with device with list same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:25
S14	42	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and (status update dynamic) with device with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:26
S15	6	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and (status update dynamic) with device with list with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:30
S16	14	("4890257" "5113522" "6119185" "6138123" "6249520" "6295534" "6349320").pn. and (@ad<"19990902" @rlad<"19990902")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:06

EAST Search History

S17	5	("4890257" "5113522" "6119185" "6138123" "6249520" "6295534" "6349320").pn. and (@ad<"19990902" @rlad<"19990902") and configur\$5 with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:43
S18	1	(@ad<"19990902" @rlad<"19990902") and order\$2 adj list with device with status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:44
S19	491	(@ad<"19990902" @rlad<"19990902") and list with device with status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:44
S20	8	(@ad<"19990902" @rlad<"19990902") and list with device with status with configur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:50
S21	3	(@ad<"19990902" @rlad<"19990902") and list with process with configur\$5 with status with configur\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:51
S22	15	(@ad<"19990902" @rlad<"19990902") and list with process with configur\$5 with status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 10:51
S23	153	(@ad<"19990902" @rlad<"19990902") and process with list with monitoring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:06
S24	1	(@ad<"19990902" @rlad<"19990902") and process with list with status same (insert push) same (delete remove pop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:09
S25	1277	(@ad<"19990902" @rlad<"19990902") and configur\$4 same monitor same status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:10

EAST Search History

S26	493	(@ad<"19990902" @rlad<"19990902") and configur\$4 with status with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:12
S27	4	S26 and 710/15-19,52-57,104. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:10
S28	2982	(@ad<"19990902" @rlad<"19990902") and monitor with device with status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:12
S29	284	S28 and device with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:12
S30	57	S28 and 710/15-19,52-57,104. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:13
S31	14	S29 and 710/15-19,52-57,104. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 11:13
S32	2	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and status adj display with devices	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 13:15
S33	0	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and status adj display with devices same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 12:08
S34	1	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and status with display with devices same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 12:08
S35	1	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and status with display with devices same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:09

EAST Search History

S36	5	(@ad<"19990902" @rlad<"19990902") and 710/15-19,52-57,104.ccls. and status with display with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:05
S37	29	(@ad<"19990902" @rlad<"19990902") and status with display with devices same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:10
S38	2	(@ad<"19990902" @rlad<"19990902") and status with display with devices same list and (remove delete) with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:15
S39	6	(@ad<"19990902" @rlad<"19990902") and status with display with devices same list and (remove delete) same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:11
S40	82	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and status with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 16:31
S41	43	S40 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 13:16
S42	5	S40 and order\$2 with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 13:16
S43	5	S40 and order\$3 with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 13:16
S44	2	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and devices same configur\$5 adj status and devices	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 13:22
S45	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and configur\$5 adj manager same device adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 13:23

EAST Search History

S46	7	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and configur\$5 adj manager same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 13:23
S47	20	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and configur\$5 with manager same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:44
S48	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and configur\$5 with manager same device adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:32
S49	15	S47 and (remove delete)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:32
S50	2	"5355486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:32
S52	3	(@ad<"19990902" @rlad<"19990902") and configur\$5 with manager same device adj list and (remove delete) with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:34
S53	0	(@ad<"19990902" @rlad<"19990902") and task with list and list with complete with (remove delete) and configur\$5 adj manager	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:34
S54	4	(@ad<"19990902" @rlad<"19990902") and task with list and list with complete with (remove delete) and configur\$5 with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:35
S55	9	(@ad<"19990902" @rlad<"19990902") and task with list and list with complete with (remove delete) and configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:34
S56	5	S55 NOT S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 13:35

EAST Search History

S57	1	"6496893".pn. and status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:31
S58	22	(@ad<"19990902" @rlad<"19990902") and configur\$5 with manager same device adj list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:42
S59	2	"5355486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 15:46
S60	103	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and BIOS with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 16:31
S61	60	S60 and screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 16:31
S62	23	S61 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 16:32
S63	22	S62 and boot\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/04 16:41
S64	1	(@ad<"19990902" @rlad<"19990902") and scroll same boot same screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:42
S65	5	(@ad<"19990902" @rlad<"19990902") and BIOS with (screen display) with scroll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:43
S66	1	S65 and windows	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:43

EAST Search History

S67	21	(@ad<"19990902" @rlad<"19990902") and BIOS with device with enumeration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:01
S68	13	S67 and screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:42
S69	464	"autoexec.bat"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:42
S70	66	(@ad<"19990902" @rlad<"19990902") and "autoexec.bat" and 713/1,2,100. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:43
S71	50	S70 and BIOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:43
S72	28	S71 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:43
S73	12	S71 and device with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:43
S74	230	(@ad<"19990902" @rlad<"19990902") and boot same initialize same device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:38
S75	463	(@ad<"19990902" @rlad<"19990902") and boot same initialize same device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:14
S76	107	S75 and 713/1,2,100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:09

EAST Search History

S77	15	S76 and (screen display) and list with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:09
S78	2	(@ad<"19990902" @rlad<"19990902") and power adj on adj self adj test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:15
S79	196	(@ad<"19990902" @rlad<"19990902") and POST adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:28
S80	23	S79 and boot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:26
S81	0	power adj on adj self adj test same screenshots	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:27
S82	0	power adj on adj self adj test same list same (display screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:27
S83	0	power adj on adj self adj test same list\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:27
S84	383	(@ad<"19990902" @rlad<"19990902") and POST same list same (display screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:28
S85	1	(@ad<"19990902" @rlad<"19990902") and POST same device adj list\$ same (display screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:28
S86	1	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccis. and system adj inventory same BIOS same POST	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 14:36

EAST Search History

S87	1	S86 and list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 14:33
S88	1	S87 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 14:33
S89	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and BIOS and initialize adj device same list same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:50
S90	1	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and BIOS and initialize adj device same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:40
S91	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and POST adj device adj listing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:40
S92	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and POST with device with listing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:41
S93	0	(@ad<"19990902" @rlad<"19990902") and POST with device with listing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:41
S94	836	(@ad<"19990902" @rlad<"19990902") and POST with device with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:41
S95	1791	(@ad<"19990902" @rlad<"19990902") and "713,1,2, 100".ccls. POST with device with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:41
S96	0	(@ad<"19990902" @rlad<"19990902") and "713,1,2, 100".ccls. and POST with device with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:41

EAST Search History

S97	17	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and POST with device with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:44
S98	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and POST with list with hardware with initial\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:44
S99	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and POST same list with hardware same initial\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:44
S100	18	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and BIOS same system adj (inventory hardware) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:50
S101	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and BIOS same system adj (inventory hardware) same display same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:51
S102	2	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and BIOS same system adj (inventory hardware) same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:55
S103	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and (BIOS POST) adj status adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:55
S104	1	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and (BIOS POST) same device adj status with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:56
S105	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and (BIOS POST) same device adj status same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:57
S106	30499	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and (BIOS POST) same (device hardware peripheral) status same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:57

EAST Search History

S10 7	0	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and (BIOS POST) same (device hardware peripheral) adj status same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:57
S10 8	506507	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and device hardware peripheral adj status same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:57
S10 9	2	(@ad<"19990902" @rlad<"19990902") and 713/1,2, 100.ccls. and (device hardware peripheral) adj status same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 15:15
S11 0	3698	(@ad<"19990902" @rlad<"19990902") and text same display same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:58
S11 1	69	(@ad<"19990902" @rlad<"19990902") and text with display with list same scroll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 15:04
S11 2	13	S111 and BIOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 14:59
S11 3	1	10/633243	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 18:26
S11 4	70	(@ad<"19990902" @rlad<"19990902") and text adj display with scroll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:57
S11 5	7	S114 and boot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:39
S11 6	17	(@ad<"19990902" @rlad<"19990902") and DOS with text with display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:41

EAST Search History

S11 7	0	(@ad<"19990902" @rlad<"19990902") and text adj window adj size same line same BIOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:42
S11 8	1	(@ad<"19990902" @rlad<"19990902") and text adj window adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:42
S11 9	98	(@ad<"19990902" @rlad<"19990902") and (display CRT screen)same line adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:42
S12 0	98	(@ad<"19990902" @rlad<"19990902") and (display CRT screen) same line adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:42
S12 1	1	S120 and (BIOS POST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:52
S12 2	0	345/122.ccls. and (@ad<"19990902" @rlad<"19990902")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:52
S12 3	0	345/135.ccls. and (@ad<"19990902" @rlad<"19990902")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:53
S12 4	1137	"345"/\$.ccls. and (@ad<"19990902" @rlad<"19990902") and display adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:53
S12 5	0	"345"/\$.ccls. and (@ad<"19990902" @rlad<"19990902") and (display screen) adj line adj depth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:53
S12 6	44	"345"/\$.ccls. and (@ad<"19990902" @rlad<"19990902") and (display screen) adj line and DOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:54

EAST Search History

S12 7	0	"345"/\$.ccls. and (@ad<"19990902" @rlad<"19990902") and vertical adj line adj count and (BIOS POST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:55
S12 8	99	"345"/\$.ccls. and (@ad<"19990902" @rlad<"19990902") and vertical adj line and (BIOS POST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:55
S12 9	23	"345"/\$.ccls. and (@ad<"19990902" @rlad<"19990902") and vertical adj line with (screen display) and (BIOS POST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:55
S13 0	51	(@ad<"19990902" @rlad<"19990902") and increase\$1 with text with data same (display screen)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:58
S13 1	15	S130 and screen with size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:58
S13 2	0	(@ad<"19990902" @rlad<"19990902") and BIOS with text same (screen display) adj output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 15:59
S13 3	32	(@ad<"19990902" @rlad<"19990902") and BIOS with text same (screen display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/05 16:02
S13 4	1	(@ad<"19990902" @rlad<"19990902") and text adj window.ti. and row	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 16:03
S13 5	5	(@ad<"19990902" @rlad<"19990902") and text adj window and scroll with row	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/05 16:03